Specifications

Green



plug-in solid state relay - 12.5 mm - output - 24 V DC - 2 A

ABS7SC3BA

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 50.00 USD

Main

mann		
Range of Product	Advantys Telefast ABE7	
Product or Component Type	Plug-in solid state relay	
Relay Type	Output relay	
minimum ordered quantity	Set of 4	

Complementary

Response time	<= 0.1 ms from state 1 to 0	
	<= 0.2 ms from state 0 to 1	
Width pitch dimension	0.5 in (12 mm)	
Product Compatibility	ABE7P16T318	
	ABE7P16T330	
	ABE7R16T330	
	ABE7P16T334	
	ABE7P16T318E	
	ABE7P16T330E	
	ABE7R16T332	
Discrete input voltage	24 V DC	
Discrete output voltage	24 V DC self-protected	
Discrete output current	2000 mA	
Current state 0 guaranteed	0.4 mA DC	
Current state 1 guaranteed	2.9 mA DC	
Voltage state 0 guaranteed	3.8 V DC	
Voltage state 1 guaranteed	18.6 V DC	
Net Weight	0.035 lb(US) (0.016 kg)	

Ordering and shipping details

Category	US10CP222375	
Discount Schedule	0CP2	
GTIN	3389110720761	
Returnability	No	
Country of origin	LV	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Height	2.0 in (5 cm)	
Package 1 Width	2.05 in (5.2 cm)	
Package 1 Length	2.6 in (6.5 cm)	
Package 1 Weight	0.5 oz (13 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	4	
Package 2 Height	2.0 in (5 cm)	
Package 2 Width	2.05 in (5.2 cm)	
Package 2 Length	2.6 in (6.5 cm)	
Package 2 Weight	1.8 oz (52 g)	
Unit Type of Package 3	S02	
Number of Units in Package 3	128	
Package 3 Height	5.9 in (15 cm)	
Package 3 Width	11.8 in (30 cm)	
Package 3 Length	15.7 in (40 cm)	
Package 3 Weight	4.548 lb(US) (2.063 kg)	

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance




Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Connections and Schema

Internal Wiring Diagram



Product data sheet

Image of product / Alternate images

Alternative

