

Product data sheet

Specifications



Plug outlet, Linergy HK, 3P 32A, 2 points, 4 mm², cable length 250MM

AK5PC33

Product availability: Stock - Normally stocked in distribution facility

Price*: 23.00 USD

Main

Range	Linergy
Product name	HK
Product or Component Type	Plug outlet
poles description	3P
[I _{th}] conventional free air thermal current	32 A
I ² t on activation	200000 A².s
Number of points	2
Number of cables	3 0.006 in² (4 mm²)
Cable length	0.82 ft (0.25 m)
Quantity per Set	Set of 6

Complementary

[UI] rated insulation voltage	600 V CSA 600 V UL 690 V IEC 60439-1
Peak current	25 kA
Width	1.4 in (36 mm)
Height	1.8 in (46 mm)
Depth	1.5 in (38 mm)
Net Weight	0.099 lb(US) (0.045 kg)

Environment

Standards	IEC 60439
Product Certifications	DNV LROS (Lloyds register of shipping) CSA UL

Ordering and shipping details

Category	US10I1122623
Discount Schedule	0I11
GTIN	3389110576856
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	FR
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.315 in (13.500 cm)
Package 1 Width	5.0000000000 in (12.700 cm)
Package 1 Length	6.102 in (15.500 cm)
Package 1 Weight	2.011 oz (57.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	5.315 in (13.500 cm)
Package 2 Width	5.0000000000 in (12.700 cm)
Package 2 Length	6.102 in (15.500 cm)
Package 2 Weight	14.250 oz (404.000 g)
Unit Type of Package 3	S04
Number of Units in Package 3	96
Package 3 Height	11.811 in (30.000 cm)
Package 3 Width	15.748 in (40.000 cm)
Package 3 Length	23.622 in (60.000 cm)
Package 3 Weight	15.931 lb(US) (7.226 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Sustainable Packaging

Resource performance

✔ Sustainable Packaging

Well-being performance

✔ Reach Free Of Svhc

✔ Toxic Heavy Metal Free

✔ Mercury Free

✔ Rohs Exemption Information Yes

Reach Regulation REACH Declaration

Eu Rohs Directive Compliant
EU RoHS Declaration

China Rohs Regulation China RoHS declaration
Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

California Proposition 65 WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov