



PRODUCT-DETAILS

BEA370/T5

BEA370/T5 Connection Set



General Information	
Extended Product Type	BEA370/T5
Product ID	1SFN085406R1000
EAN	7320500480823
Catalog Description	BEA370/T5 Connection Set
Long Description	Connections for vertical compact mounting of contactor and breaker, AF265..370 + T5

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SFC100010M0201
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions	
Product Net Width	25 mm
Product Net Depth / Length	15.5 mm
Product Net Height	66 mm
Product Net Weight	0.35 kg

Technical	
Terminal Type	Screw Terminals
Suitable For	AF265
	AF305
	AF370
	AX260
	AX300
	AX370
Suitable for Product Class	T5
	Block Contactors
Product Name	Connection Set

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
cUL Certificate	20120925-E36588
Declaration of Conformity - CE	2CMT004895
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information	
Package Level 1 Units	bag 1 piece
Package Level 1 Width	75 mm
Package Level 1 Depth / Length	66 mm
Package Level 1 Height	15.5 mm
Package Level 1 Gross Weight	0.37 kg
Package Level 1 EAN	7320500480823

Classifications		
Object Classification Code		W
ETIM 7	EC002498 - Accessories for low-voltage switch technology	
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology	
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology	
eClass		V11.0 : 27371392
UNSPSC		39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory	
E-Number (Finland)		3706562
E-Number (Norway)		4117897
E-Number (Sweden)		3210230

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

