




PRODUCT-DETAILS

BEA65-4

BEA65-4 Connecting Link with Manual Motor Starter



General Information	
Extended Product Type	BEA65-4
Product ID	1SBN083406R1000
EAN	3471523131156
Catalog Description	BEA65-4 Connecting Link with Manual Motor Starter
Long Description	BEA65-4 is a connecting link used to connect AF40 ... AF65, AFC40 ... AFC65 or AFS40 ... AFS65 contactors with the MS165-16 ... MS165-65 manual motor starters. The BEA insulated 3-pole connecting links ensure the electrical and mechanical connection between the contactor or reversing contactors and the associated manual motor starter. The BPR65-4 35 mm rail hooks used with a BEA65-4 connecting link, allow direct mounting on 2 rails 35 mm of a MS165 manual motor starters with contactors or reversing contactors connect AF40 ... AF65, AFC40 ... AFC65 or AFS40 ... AFS65.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SBC101049M6801
CAD Dimensional Drawing	2CDC001079B0201

Dimensions	
Product Net Width	55 mm
Product Net Depth / Length	60 mm
Product Net Height	64 mm
Product Net Weight	0.071 kg

Technical	
Standards	EN 60947-1, EN 60947-4-1, UL 60947-4-1, CAN/CSA C22.2 No.60947-1-13
Rated Operational Voltage	Main Circuit 690 V AC
Rated Frequency (f)	Main Circuit 50 / 60 Hz
Terminal Type	Screw Terminals
Suitable For	MO165
	MS165
	AF40
	AF52
	AF65
	AFS40
	AFS52
	AFS65

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
Declaration of Conformity - CE	1SBD250021U1000
Declaration of Conformity - UKCA	1SBD250043U1000
UL Certificate	UL_20150521-E312527_5_3
UL Listing Card	UL_E312527

Container Information	
Package Level 1 Units	box 1 piece

Package Level 1 Width	61 mm
Package Level 1 Depth / Length	77 mm
Package Level 1 Height	65 mm
Package Level 1 Gross Weight	0.09 kg
Package Level 1 EAN	3471523131156
Package Level 2 Units	48 piece
Package Level 2 Width	230 mm
Package Level 2 Depth / Length	340 mm
Package Level 2 Height	270 mm
Package Level 2 Gross Weight	4.32 kg

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
E-Number (Finland)	3707439

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

