

preformed cordset, Modicon M340, 40 way terminal, 2 x HE10 connector, 5m

BMXFCC503

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| Range of Product | Modicon X80 | |
|---------------------------------------|--|--|
| accessory / separate part type | Preformed cordset | |
| Accessory / separate part designation | Preformed cordset for Telefast Advantys ABE7 sub-bases | |
| Accessory / separate part destination | For I/O module with 40-way connectors | |
| Number of cables | 2 | |
| Electrical connection | 1 connector 40 ways 2 connectors HE10 | |
| Cable length | 16.4 ft (5 m) | |

Complementary

| Total number of wires | 40 |
|-----------------------|------------------------|
| Wire section | 0.0005 in² (0.324 mm²) |
| Net Weight | 3.37 lb(US) (1.53 kg) |

Ordering and shipping details

| Category | US1PC3418160 | |
|-------------------|---------------|--|
| Discount Schedule | PC34 | |
| GTIN | 3595863920017 | |
| Returnability | No | |
| Country of origin | FR | |

Packing Units

| Unit Type of Package 1 | PCE | |
|------------------------------|-------------------------|--|
| Number of Units in Package 1 | 1 | |
| Package 1 Height | 2.362 in (6.000 cm) | |
| Package 1 Width | 9.449 in (24.000 cm) | |
| Package 1 Length | 10.236 in (26.000 cm) | |
| Package 1 Weight | 3.210 lb(US) (1.456 kg) | |
| Unit Type of Package 2 | S02 | |
| Number of Units in Package 2 | 3 | |
| Package 2 Height | 5.906 in (15.000 cm) | |
| Package 2 Width | 11.811 in (30.000 cm) | |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| Package 2 Length | 15.748 in (40.000 cm) | |
|------------------------------|----------------------------|--|
| Package 2 Weight | 10.203 lb(US) (4.628 kg) | |
| Unit Type of Package 3 | P06 | |
| Number of Units in Package 3 | 48 | |
| Package 3 Height | 29.528 in (75.000 cm) | |
| Package 3 Width | 23.622 in (60.000 cm) | |
| Package 3 Length | 31.496 in (80.000 cm) | |
| Package 3 Weight | 181.987 lb(US) (82.548 kg) | |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Well-being performance

| Toxic Heavy Metal Free | |
|----------------------------|---|
| Mercury Free | |
| Rohs Exemption Information | Yes |
| | |
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| | EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |