

# Product data sheet

Specifications



cord set, Modicon X80, 28 ways terminal, SUB-D25 connector, 3m (9.84ft)

BMXFTA300

Product availability: Stock - Normally stocked in distribution facility

## Main

|                                |   |
|--------------------------------|---|
| Range Of Product               | Modicon X80   |
| Accessory / Separate Part Type | Preformed cordset   |
| Product Compatibility          | BMXAMI0810<br>ABE7CPA03<br>ABE7CPA31E<br>BMXAMI0800<br>ABE7CPA02<br>ABE7CPA31         |
| Electrical Connection          | 1 connector SUB-D 25 sub-base side<br>1 removable terminal block, 28 ways module side |
| Cable Length                   | 9.84 ft (3 m)   |

## Complementary

|            |                      |
|------------|----------------------|
| Net Weight | 1.10 lb(US) (0.5 kg) |
|------------|----------------------|

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US1PC3418160  |
| Discount Schedule | PC34          |
| Gtin              | 3595864080451 |
| Returnability     | Yes           |
| Country Of Origin | TN            |

## Packing Units

|                              |                        |
|------------------------------|------------------------|
| Unit Type Of Package 1       | PCE                    |
| Number Of Units In Package 1 | 1                      |
| Package 1 Height             | 2.56 in (6.500 cm)     |
| Package 1 Width              | 10.63 in (27.000 cm)   |
| Package 1 Length             | 10.63 in (27.000 cm)   |
| Package 1 Weight             | 21.48 oz (609.000 g)   |
| Unit Type Of Package 2       | S02                    |
| Number Of Units In Package 2 | 4                      |
| Package 2 Height             | 5.91 in (15.000 cm)    |
| Package 2 Width              | 11.81 in (30.000 cm)   |
| Package 2 Length             | 15.75 in (40.000 cm)   |
| Package 2 Weight             | 6.13 lb(US) (2.779 kg) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.


**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

 Toxic Heavy Metal Free

 Mercury Free

 Rohs Exemption Information [Yes](#)

|                          |   |
|--------------------------|---|
| <b>Eu Rohs Directive</b> | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a> |
|--------------------------|---|

|                              |  |
|------------------------------|--|
| <b>China Rohs Regulation</b> | <a href="#">China RoHS declaration</a> |
|------------------------------|--|

|                                  |   |
|----------------------------------|---|
| <b>California Proposition 65</b> | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
|----------------------------------|---|