

# Product data sheet

Specifications



shielded cord set, Modicon X80, 28-way terminal, one end flying leads, 3m

BMXFTW308S

Product availability: Stock - Normally stocked in distribution facility

## Main

Range Of Product	Modicon X80
Accessory / Separate Part Type	Preformed cordset
Product Compatibility	BMXAMI0810 BMXAMI0800
Electrical Connection	1 free end with color-coded flying leads 1 removable terminal block 28 ways module side
Cable Length	9.84 ft (3 m)

## Complementary

Net Weight	1.06 lb(US) (0.48 kg)
------------	-----------------------

## Ordering and shipping details

Category	US1PC3418160
Discount Schedule	PC34
Gtin	3595864110028
Returnability	Yes
Country Of Origin	FR

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.38 in (3.500 cm)
Package 1 Width	10.24 in (26.000 cm)
Package 1 Length	10.24 in (26.000 cm)
Package 1 Weight	19.75 oz (560.000 g)
Unit Type Of Package 2	S02
Number Of Units In Package 2	7
Package 2 Height	5.91 in (15.000 cm)
Package 2 Width	11.81 in (30.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	9.31 lb(US) (4.224 kg)
Unit Type Of Package 3	P06
Number Of Units In Package 3	112

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	29.53 in (75.000 cm)
Package 3 Width	23.62 in (60.000 cm)
Package 3 Length	31.50 in (80.000 cm)
Package 3 Weight	167.74 lb(US) (76.084 kg)

## Contractual warranty

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

## Well-being performance

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

<b>Eu Rohs Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
--------------------------	---

<b>China Rohs Regulation</b>	<a href="#">China RoHS declaration</a>
------------------------------	--

<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
---------------------------------	---

<b>Circularity Profile</b>	No need of specific recycling operations
----------------------------	--

<b>California Proposition 65</b>	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
----------------------------------	---