



PRODUCT-DETAILS

CA5-10-AU

CA5-10AU Auxiliary Contact Block



General Information	
Extended Product Type	CA5-10-AU
Product ID	1SBN010014R1010
EAN	3471522199287
Catalog Description	CA5-10AU Auxiliary Contact Block
Long Description	CA5-10-AU is a 1-pole front mounted auxiliary contact block equipped with screw terminals and can be fitted on A serie contactors and N serie contactor relays. CA5-10-AU is available with 1 N.O. instantaneous gold-flashed contact for standard industrial environments.

Ordering	
Minimum Order Quantity	10 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202

Instructions and Manuals	FPTC407702P0002
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	11 mm
Product Net Depth / Length	32.5 mm
Product Net Height	47 mm
Product Net Weight	0.02 kg

Technical

Number of Auxiliary Contacts NO	1
Number of Auxiliary Contacts NC	0
Number of Poles	1P
Rated Operational Voltage	Auxiliary Circuit 690 V
Rated Frequency (f)	Auxiliary Circuit 50 / 60 Hz
Rated Operational Current AC-15 (I _e)	(500 V) 2 A (690 V) 2 A (24 / 127 V) 6 A (220 / 240 V) 4 A (380 / 400 V) 3 A
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 0.1 s 140 A for 1 s 100 A
Rated Insulation Voltage (U _i)	acc. to IEC 60947-5-1 690 V acc. to UL/CSA 600 V
Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20
Terminal Type	Screw Terminals
Suitable For	A9 A12 A16 A26 A30 A40 A45 A50 A63 A75 A95 A110 AL9 AL12 AL16 AL26 AL30 AL40 AE45 AE50 AE63 AE75 TAL9 TAL12 TAL16 TAL26 TAL30 TAL40

	TAE45
	TAE50
	TAE75
Product Name	Auxiliary Contact Block

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

CQC Certificate	CQC2013010304604041 CQC2004010305133985
Declaration of Conformity - CCC	2020980304001626 2020980305001185
Declaration of Conformity - CE	1SBD250804U1000
Declaration of Conformity - UKCA	1SBD250821U1000
RINA Certificate	RINA_ELE172319XG001

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	65 mm
Package Level 1 Depth / Length	129.5 mm
Package Level 1 Height	40 mm
Package Level 1 Gross Weight	0.2 kg
Package Level 1 EAN	3471522199287
Package Level 2 Units	box 1000 piece
Package Level 2 Width	300 mm
Package Level 2 Depth / Length	245 mm
Package Level 2 Height	308 mm
Package Level 2 Gross Weight	20 kg
Package Level 3 Units	12000 piece

Classifications

ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
ETIM 9	EC000041 - Auxiliary contact block
eClass	V11.0 : 27371302
UNSPSC	39121522
IDEA Granular Category	4743 >> Auxiliary contact block

Code (IGCC)

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

