DF1404FP000 1/3



PRODUCT-DETAILS

DF1404FP000

100A,CON,3P4W,MG,404,3P480



General Information		
Extended Product Type	DF1404FP000	
Product ID	7TAA057020R0001	
Catalog Description	100A,CON,3P4W,MG,404,3P480	
Long Description	MaxGard Female Connector, 100 Amp, 3 Pole 4 Wire, 30 480V, 60Hz	

Ordering	
UPC	708917151456
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	133.35 mm 5.25 in
Package Level 1 Height	152.4 mm 6 in

DF1404FP000 2/3

Package Level 1 Depth / 304.8 mm Length 12 in

Additional Information	
Application	Convention centers and areanas
Brand / Label	Russellstoll
Current Rating	100 A
Effective Date	19960411
Material	Cast Aluminum
Number of Conductors	4
Number of Poles	3P
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	MaxGard Interconnection Systems
Special Functions	Waterproof construction provides environmental separation at the front of each device (they don't have to be connected together just to be called "watertight").
Voltage Rating	480 V

Certificates and Declarations

Data Sheet, Technical DF1404FP000 Information

External Classifications and Standards	
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121406
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Pin\ \&\ Sleeve\ Connectors$

DF1404FP000 3/3

