



PRODUCT-DETAILS

DF2516FRAB0
200A,REC,4P5W,MG,516,AB0,3PY120



General Information	
Extended Product Type	DF2516FRAB0
Product ID	7TAA057020R0010
Catalog Description	200A,REC,4P5W,MG,516,AB0,3PY120
Long Description	MaxGard Female Flap Cap Receptacle with Angle Adapter and Junction Box, 200 Amp, 4 Pole 5 Wire, 30Y 120/208V, 60Hz

Ordering	
UPC	708917134824
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	0.025 mm 0.001 in
Package Level 1 Height	0.025 mm

	0.001 in
Package Level 1 Depth /	0.025 mm
Length	0.001 in

Additional Information

Application	Electrical hook-up of mobile medical imaging (MMI) trailers.
Brand / Label	Russellstoll
Effective Date	19960411
Material	Cast Aluminum
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	MaxGard Interconnection Systems
Special Functions	Waterproof construction provides environmental separation at the front of each device (they don't have to be connected together just to be called "watertight").

Certificates and Declarations

Data Sheet, Technical Information	DF2516FRAB0
-----------------------------------	-------------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121406
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

