Product datasheet

Specifications





INCANDESCENT 5W 120VAC/DC

DL1EDGS

- () Discontinued on: 19-Jan-2022
- (!) End-of-service on: 03-Jun-2022

(!) Discontinued

Main

Range Compatibility	Harmony XVM Optimum
Accessory / Separate Part Categor	Lighting accessory
Accessory / Separate Part Type	Incandescent bulb
Accessory / Separate Part Designation	Incandescent bulb
Accessory / Separate Part Destination	Beacon and indicator bank
Bulb Base	BA 15d
Signalling Type	Steady
[Us] Rated Supply Voltage	120 V AC/DC
Luminance	650 cd/m ²
Sale Per Indivisible Quantity	10

Complementary

Maximum Power Dissipation In W	5 W
Net Weight	0.007 kg

Packing Units

0	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5 cm
Package 1 Width	3.51 cm
Package 1 Length	8.8 cm
Package 1 Weight	8 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	140
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.499 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	4480

Package 3 Height	75 cm
Package 3 Width	60 cm
Package 3 Length	80 cm
Package 3 Weight	60.84 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations