



PRODUCT-DETAILS

DS1504MP000
100A,PLG,4P5W,MG,504,3PY277V.SC



General Information	
Extended Product Type	DS1504MP000
Product ID	7TAA057030R0430
EAN	5415022252620
Catalog Description	100A,PLG,4P5W,MG,504,3PY277V.SC
Long Description	MaxGard Male Plug, 100 Amp, 4 Pole 5 Wire, 30Y 277/480V, 60Hz

Ordering	
EAN	5415022252620
UPC	708917206248
Country of Origin	Mexico
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	0.025 mm

	0.001 in
Package Level 1 Height	0.025 mm
	0.001 in
Package Level 1 Depth / Length	0.025 mm
	0.001 in

Additional Information

Application	Convention centers and areanas
Brand / Label	Russellstoll
Effective Date	19960411
Material	Cast Aluminum
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	Russellstoll Hazardous Locations
Special Functions	Waterproof construction provides environmental separation at the front of each device (they don't have to be connected together just to be called "watertight").
Standards	UL e68085

Certificates and Declarations

Data Sheet, Technical Information	DS1504MP000
-----------------------------------	-------------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121402
IDEA Granular Category Code (IGCC)	4526 >> Electrical plugs

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

