



PRODUCT-DETAILS

DS2404MP000

200A,PLG,3P4W,MG,404,3P480V



General Information	
Extended Product Type	DS2404MP000
Product ID	7TAA057010R0002
EAN	5415022252385
Catalog Description	200A,PLG,3P4W,MG,404,3P480V
Long Description	MaxGard Male Plug, 200 Amp, 3 Pole 4 Wire, 3 Phase 480V, 60Hz

Ordering	
EAN	5415022252385
UPC	708917159827
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	0.025 mm

	0.001 in
Package Level 1 Height	0.025 mm
	0.001 in
Package Level 1 Depth / Length	0.025 mm
	0.001 in

Additional Information

Application	Electrical hook-up of mobile medical imaging (MMI trailers).
Brand / Label	Russellstoll
Effective Date	19960411
Material	Cast Aluminum
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	MaxGard Interconnection Systems
Special Functions	Waterproof construction provides environmental separation at the front of each device (they don't have to be connected together just to be called "watertight").

Certificates and Declarations

Data Sheet, Technical Information	DS2404MP000
-----------------------------------	-------------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121402
IDEA Granular Category Code (IGCC)	4526 >> Electrical plugs

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

