

PRODUCT-DETAILS

E 93/30s CC

E 93/30s CC Fuse holder



General Information

Extended Product Type	E 93/30s CC
Product ID	2CSM299942R1801
EAN	8012542999423
Catalog Description	E 93/30s CC Fuse holder
Long Description	E 93/30s CC is a fuseholder for overcurrent and short circuit protection specific for class CC fuses

Technical

Rated Voltage (U_r)	600 V
Rated Operational Voltage	600 V AC
Rated Current (I_n)	30 A
Rated Frequency (f)	60 Hz
Power Loss	at Rated Operating Conditions per Pole 3 W
Number of Poles	3
Number of Protected Poles	3
Fuse Type	class CC
Mounting Type	DIN rail
Options Provided	With LED
Fuse Size	10x38 mm

Environmental

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	See RoHS Information

Dimensions

Width in Number of Modular Spacings	3
Product Net Width	0.053 m
Product Net Height	0.085 m
Product Net Depth / Length	0.064 m
Product Net Weight	0.200 kg
Dimensions	3 module
Built-In Depth (t ₂)	64 mm

Container Information

Package Level 1 Units	2 piece
Package Level 1 Width	0.105 m
Package Level 1 Height	0.085 m
Package Level 1 Depth / Length	0.064 m
Package Level 1 Gross Weight	0.396 kg
Package Level 1 EAN	8012542265955

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85361010
Country of Origin	Romania (RO)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CSC444003D2701
Environmental Information	See RoHS Information
Instructions and Manuals	No document needed
RoHS Information	2CSC444011K2701

Popular Downloads

Data Sheet, Technical Information	2CSC444002B0204
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC002705 - Holder for cylindrical fuse
ETIM 8	EC002705 - Holder for cylindrical fuse
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B	Business To Consumer
CN8	85361010
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical Fuse Holders and Fuse Switch Disconnectors

