



PRODUCT-DETAILS

EHDB220-21-11 240V 60Hz

EHDB220-21-11 240V 60Hz Contactor



General Information	
Extended Product Type	EHDB220-21-11 240V 60Hz
Product ID	SK825485-AK
EAN	7320500074305
Catalog Description	EHDB220-21-11 240V 60Hz Contactor
Long Description	EHDB220-21-11 240V 60Hz Contactor

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Popular Downloads	
Instructions and Manuals	5309660-47

Dimensions	
------------	--

Product Net Width	136 mm
Product Net Depth / Length	169 mm
Product Net Height	198 mm
Product Net Weight	3.6 kg

Technical

Number of Main Contacts NO	2
Number of Main Contacts NC	1
Number of Auxiliary Contacts NO	1
Number of Auxiliary Contacts NC	1
Number of Poles	3P
Rated Operational Current AC-1 (I _e)	(690 V) 40 °C 220 A
Rated Control Circuit Voltage (U _c)	60 Hz 240 V
Terminal Type	Main Circuit: Bars
Product Name	Block Contactor

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
SCIP	8bc9bf23-f582-493b-8a75-a376fdd0e441 Bulgaria (BG)
Simplified SCIP	1bffff59-6629-47e7-93ae-ca56f657863f Denmark (DK) 350b5cf3-65c2-4e11-a5dc-8dadffe42c87 Croatia (HR) 39c4c839-b451-477a-a4c3-278629b70fea Estonia (EE) 3d9021d5-ea52-4091-8a67-5e76a37b18ba Hungary (HU) 4b3e436b-8eca-4e94-8223-3f6995d3689e Greece (GR) 5bf37697-0a28-4a1a-82ed-b01e42890888 Poland (PL) 6190162d-e5a9-4c6d-86ee-139dc985cdf Germany (DE) 6870aa00-b06f-4708-9f94-82c08df22119 Hungary (HU) 73386b93-d1d1-4e0a-a8e0-da3512c5c4c8 Czech Republic (CZ) 74079807-7972-44e9-ac98-ec7a8cd7b4aa Portugal (PT) 7b1d84ab-dbb4-40e8-a19c-50bca4e2ea9a Norway (NO) 7c99d203-d389-4936-a143-9ea33975a565 Germany (DE) 7d7c0791-ddd0-4ee5-81d2-dd2164c2460d Spain (ES) 7fc8266d-1ecd-4025-8779-8d2bad66d1ee Sweden (SE) 81a75815-5bde-4ac7-9feb-3b4db0936195 Sweden (SE) 87bc951d-b736-4713-8f05-e5246917ff79 France (FR) 8e3b3a97-f4e6-4c5c-9237-697b790b27bd Germany (DE) 9482525e-64c4-4837-9485-0fa5eb1fd0d0 Belgium (BE) 94df39f6-5bb3-441f-a2b2-2b693200d271 France (FR) 9a2e5117-ec6b-4cd6-a1e4-987c8e6957d9 Netherlands (NL) a0f6cd03-688b-4356-9f9f-a458762ffdb7 Germany (DE) ab8a7b56-8438-41ae-9e76-04ead8e93ce7 Finland (FI) b18d1597-e7fd-4bff-b8d5-45078a2c9604 Germany (DE) bfd678ef-5137-45dc-b4cd-265bfdfecea0 Italy (IT) cd1152bd-e527-4123-aca6-9b1ca518328f Poland (PL) e9225575-29ed-4740-a217-7dcae2163a54 Belgium (BE) f41415ff-a7e6-413d-a322-c103ecce5241 Poland (PL)
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity	2CMT2015-005435
---------------------------	-----------------

- CE

Container Information

Package Level 1 Width	176 mm
Package Level 1 Depth / Length	199 mm
Package Level 1 Height	173 mm
Package Level 1 Gross Weight	4.6 kg
Package Level 1 EAN	7320500074305

External Classifications and Standards

Object Classification Code	Q
ETIM 7	EC000066 - Power contactor, AC switching
ETIM 8	EC000066 - Power contactor, AC switching
UNSPSC	39121529
IDEA Granular Category Code (IGCC)	4755 >> Contactors

Categories

Low Voltage Products and Systems → Control Products → Contactors → Service

