



PRODUCT-DETAILS

EHDB220-21-21 110V d.c.

EHDB220-21-21 110V DC Contactor



360°

General Information	
Extended Product Type	EHDB220-21-21 110V d.c.
Product ID	SK825485-DE
EAN	7320500129173
Catalog Description	EHDB220-21-21 110V DC Contactor
Long Description	EHDB220-21-21 110V DC Contactor

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Popular Downloads	
Instructions and Manuals	5309660-47

Dimensions	
Product Net Width	136 mm
Product Net Depth / Length	169 mm
Product Net Height	198 mm
Product Net Weight	3 kg

Technical	
Number of Main Contacts NO	2
Number of Main Contacts NC	1
Number of Auxiliary Contacts NO	2
Number of Auxiliary Contacts NC	1
Number of Poles	3P
Rated Operational Current AC-1 (I _e)	(690 V) 40 °C 220 A
Rated Control Circuit Voltage (U _c)	DC Operation 110 V
Terminal Type	Main Circuit: Bars
Product Name	Block Contactor

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
SCIP	5a5b2614-af72-429a-a589-ac9b2a157a18 Bulgaria (BG)
Simplified SCIP	158888fc-a8e8-45f0-a6fa-6144e70f8e4f Spain (ES) 1c853e7e-b38a-45e1-8ee1-cc4ec553f7cd Germany (DE) 249e1546-82f1-474c-b486-f5ff4c1a7568 Finland (FI) 496624a2-9d94-4e4f-89e3-6dfaa89a56b1 Poland (PL) 4977b814-d196-4464-960d-d9ffd985810d Hungary (HU) 4bcbfd35-de26-4357-a383-Ofda836e24d6 Belgium (BE) 5377753e-8bee-44ea-9dd2-45b1d4b9b925 Italy (IT) 5a84d4a4-d83a-4e5e-a4e6-e4dc58758a9e Sweden (SE) 613c3a95-f67f-49e0-b737-0c6ba599e869 Hungary (HU) 6601577f-4769-483e-8076-36e3494f28b9 Norway (NO) 71b3dfe3-6253-413f-a923-6d31f01e9434 Denmark (DK) 80868b8f-61f4-4b3f-ac9e-5a1a2baeef7a Czech Republic (CZ) 87d9466b-9bad-46cd-8e45-e04370bdcc39 Portugal (PT) 8a7aeb1e-e2cd-4ae0-a45a-b8cb9006b439 Belgium (BE) af3fd6cb-dac5-4db2-9cef-b350f11733b Poland (PL) b293bb07-65a0-49ef-91b0-b2d58391fbd2 Estonia (EE) bca1a051-9e12-4fbf-a9de-d4fd4976467c Sweden (SE) c2153ee2-9381-40b4-9523-f506f5c4104a France (FR) c7314f6f-2032-4d19-b41f-8b97ce674899 France (FR) c7dcdca4-6285-4f4d-a08b-26ec38a3ed86 Greece (GR) c8082824-4b25-452f-887b-2b747627bfb2 Germany (DE) cefae0d4-1ac4-4d76-96fc-c156165da9a4 Germany (DE) d49127f0-aaaa-4bca-b464-a9083e722c69 Croatia (HR) e54d9021-b50f-4092-9333-3529ce8291b3 Germany (DE) ef5e33e1-517f-4163-8fa1-0b6cffa8937a Germany (DE) f9f3740f-749b-4baa-9cb0-19f3411d1d5b Poland (PL) fe232c53-9e3d-418e-8437-5b486e110e7e Netherlands (NL)

WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	2CMT2015-005435
--------------------------------	-----------------

Container Information

Package Level 1 Width	176 mm
Package Level 1 Depth / Length	199 mm
Package Level 1 Height	173 mm
Package Level 1 Gross Weight	4 kg
Package Level 1 EAN	7320500129173

External Classifications and Standards

Object Classification Code	Q
ETIM 7	EC000066 - Power contactor, AC switching
ETIM 8	EC000066 - Power contactor, AC switching
UNSPSC	39121529
IDEA Granular Category Code (IGCC)	4763 >> Power contactor, DC switching

Categories

Low Voltage Products and Systems → Control Products → Contactors → Service



