



PRODUCT-DETAILS

EHDB220-20-11 110V 50Hz

EHDB220-20-11 110V 50Hz Contactor



360°

General Information	
Extended Product Type	EHDB220-20-11 110V 50Hz
Product ID	SK825484-AF
EAN	7320500073513
Catalog Description	EHDB220-20-11 110V 50Hz Contactor
Long Description	EHDB220-20-11 110V 50Hz Contactor

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Popular Downloads	
Instructions and Manuals	5309660-47

Dimensions	
Product Net Width	136 mm
Product Net Depth / Length	169 mm
Product Net Height	198 mm
Product Net Weight	3.6 kg

Technical	
Number of Main Contacts NO	2
Number of Main Contacts NC	0
Number of Auxiliary Contacts NO	1
Number of Auxiliary Contacts NC	1
Number of Poles	3P
Rated Operational Current AC-1 (I _e)	(690 V) 40 °C 220 A
Rated Control Circuit Voltage (U _c)	50 Hz 110 V
Terminal Type	Main Circuit: Bars
Product Name	Block Contactor

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
SCIP	ccd0c2b8-4de4-484d-9afa-5d8115712b48 Bulgaria (BG)
Simplified SCIP	078d2396-0aae-43ce-8767-65fc6b7236a9 Sweden (SE) 08cdb898-0280-4a3a-98e6-4087baaafa29 Poland (PL) 0e70415d-9263-4d45-96af-a9c6a523dfe Germany (DE) 0fa2b4f7-a101-444f-bbd4-a6dcc5d00615 Netherlands (NL) 147f8481-55db-40ff-ac0a-29feb54274a2 Germany (DE) 28ec9b96-2c62-432b-8d1d-be41d614d357 Denmark (DK) 2bb09f39-6395-4346-b21f-92ea068b67a0 France (FR) 3684a909-e14e-4c3e-af6a-c43f5f2419e4 Greece (GR) 539c8e79-4388-481d-b2d4-030d8fff4689 Portugal (PT) 566f4a50-f88b-474d-b391-6603cddb155 Finland (FI) 59c2e020-9db6-4775-b3eb-f33a961765d0 Czech Republic (CZ) 6400293e-4cfa-4c39-b1fd-c728ed1137de Germany (DE) 92935d09-2460-40e9-a7ff-ac2c0b54bc3d Hungary (HU) a22218b6-3fb6-4a2f-bfbf-7720da3c1fbd Germany (DE) ad1289a2-aa92-410a-bf02-cd7b212347af Spain (ES) b111cd45-0741-4054-ba9c-96ef95078a40 France (FR) b2c0a25f-35e8-4ca0-8c74-67bc2190c7dc Hungary (HU) bd4f0a2a-f949-455d-9f3a-0aa34903e339 Sweden (SE) c38c7396-b95d-42d2-b975-e34fd218f694 Germany (DE) c3934c02-33a5-407b-b423-00fdd281b346 Estonia (EE) d9c61041-524d-4d50-9149-d3f5fc8d8efd Croatia (HR) db9a4605-36c9-4646-9358-e5b49f18e887 Belgium (BE) dff617a8-1dff-435e-b517-64a75f5822b0 Belgium (BE) e1349e10-ce85-4998-a266-be7e50009dc7 Italy (IT) e519c88d-4261-4040-8911-8ed089b098c4 Poland (PL) e6295680-207c-44eb-b7da-2fa96b686f0b Poland (PL) eda1fdb6-2db3-4061-acbe-c5db3f236787 Norway (NO)

WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	2CMT2015-005435
--------------------------------	-----------------

Container Information

Package Level 1 Width	176 mm
Package Level 1 Depth / Length	199 mm
Package Level 1 Height	173 mm
Package Level 1 Gross Weight	4.6 kg
Package Level 1 EAN	7320500073513

External Classifications and Standards

Object Classification Code	Q
ETIM 7	EC000066 - Power contactor, AC switching
ETIM 8	EC000066 - Power contactor, AC switching
UNSPSC	39121529
IDEA Granular Category Code (IGCC)	4755 >> Contactors

Categories

Low Voltage Products and Systems → Control Products → Contactors → Service



