



PRODUCT-DETAILS

EHDB650-21-11 110V 50Hz

EHDB650-21-11 110V 50Hz Contactor



360°

General Information	
Extended Product Type	EHDB650-21-11 110V 50Hz
Product ID	SK827087-AF
EAN	7320500098943
Catalog Description	EHDB650-21-11 110V 50Hz Contactor
Long Description	EHDB650-21-11 110V 50Hz Contactor

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Popular Downloads	
Instructions and Manuals	5309660-47

Dimensions	
Product Net Width	198 mm
Product Net Depth / Length	226 mm
Product Net Height	272 mm
Product Net Weight	11.4 kg

Technical	
Number of Main Contacts NO	2
Number of Main Contacts NC	1
Number of Auxiliary Contacts NO	1
Number of Auxiliary Contacts NC	1
Number of Poles	3P
Rated Operational Current AC-1 (I _e)	(690 V) 40 °C 650 A
Rated Control Circuit Voltage (U _c)	50 Hz 110 V
Terminal Type	Main Circuit: Bars
Product Name	Block Contactor

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
SCIP	9805510e-e747-43ec-b013-67ed3eee744b Bulgaria (BG)
Simplified SCIP	6b695629-ad52-48f8-bff2-5a01c2b0361a Czech Republic (CZ) e0f41aee-3b60-40a2-85cc-66964d658e28 Poland (PL) f0d98651-a3c4-4446-8400-b6ae857b7705 Denmark (DK) d9e860bf-edb4-43f8-8247-d11ce39e78e6 Portugal (PT) d1facf5c-a295-4c54-8b9b-0a27d4820b16 Germany (DE) dee51ee3-d58b-4e4a-afcf-850712aa57d1 Hungary (HU) 3032470e-36e8-4318-bc35-a6f119b1331a Germany (DE) 12717572-396e-4b02-85c2-2c70eb7d0c39 Poland (PL) b4ee59f5-60ae-45f8-8ecd-3ae45c6a2f84 Norway (NO) 0ec28d12-3184-4337-91cf-c29cc48649b0 Finland (FI) f6bacdbf-ca10-4369-a597-438f86487b18 Belgium (BE) d816356e-7489-4e45-89ae-aa105cae0862 Italy (IT) 5b398418-12b2-4310-a64d-bd5a32dda7d9 Germany (DE) cf324ef6-e108-4650-a1a0-54effeb121eb Estonia (EE) b6f45bbf-1de1-4a77-884d-9e2f1b7dcb94 Sweden (SE) 25378def-87bc-4fc2-83b0-ae0b9c237297 Poland (PL) b5e5df2b-73e8-4253-865f-3a5389680528 France (FR) 05ad3225-ffd9-474b-b781-52ed36e0b43c Netherlands (NL) 45a52ab0-59ff-49d9-bb86-b56c417eb345 Hungary (HU) 19609526-7de6-4c12-b6e5-80165fb2d274 Greece (GR) 9da6f0f3-1819-4367-a4b1-b5487bbbed136 Croatia (HR) 59ed406f-a931-446a-bb09-ff345177f3d5 Germany (DE) 988d3a86-f6f5-4f5e-b8ce-a6e59ea0a687 Sweden (SE) c1ac5660-67ee-444b-8d8b-f4d212d38d82 Germany (DE) b3e3c1cd-0cba-4c26-b518-090ef90b3c9e France (FR) 6d8a6f69-ccf9-4dba-a857-9df343241d8f Spain (ES) dd5d6310-8423-436a-95c4-6526f1309e32 Belgium (BE)

WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	2CMT2015-005435
--------------------------------	-----------------

Container Information

Package Level 1 Width	235 mm
Package Level 1 Depth / Length	270 mm
Package Level 1 Height	224 mm
Package Level 1 Gross Weight	12.4 kg
Package Level 1 EAN	7320500098943

External Classifications and Standards

Object Classification Code	Q
ETIM 7	EC000066 - Power contactor, AC switching
ETIM 8	EC000066 - Power contactor, AC switching
UNSPSC	39121529
IDEA Granular Category Code (IGCC)	4755 >> Contactors

Categories

Low Voltage Products and Systems → Control Products → Contactors → Service



