



PRODUCT-DETAILS

EHDB800-20-11 110V 50Hz

EHDB800-20-11 110V 50Hz Contactor



General Information	
Extended Product Type	EHDB800-20-11 110V 50Hz
Product ID	SK828084-AF
EAN	7320500098950
Catalog Description	EHDB800-20-11 110V 50Hz Contactor
Long Description	EHDB800-20-11 110V 50Hz Contactor

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Popular Downloads	
Instructions and Manuals	5309660-47

Dimensions	
Product Net Width	244 mm
Product Net Depth / Length	226 mm
Product Net Height	294 mm
Product Net Weight	16.1 kg

Technical	
Number of Main Contacts NO	2
Number of Main Contacts NC	0
Number of Auxiliary Contacts NO	1
Number of Auxiliary Contacts NC	1
Number of Poles	3P
Rated Operational Current AC-1 (I _e)	(690 V) 40 °C 800 A
Rated Control Circuit Voltage (U _c)	50 Hz 110 V
Terminal Type	Main Circuit: Bars
Product Name	Block Contactor

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
SCIP	fd70974b-7e7d-46a5-9bec-58b39c39f813 Bulgaria (BG)
Simplified SCIP	93fce8fa-25f7-49cd-a9fa-83d7086dc65e Italy (IT) 07bcf160-0612-4ce2-b2eb-7e871a2e5829 Norway (NO) 0f637749-2b1d-461f-965e-865b06e8b7cb Belgium (BE) 58565e36-0848-481c-9f55-a38b44a98b5b Finland (FI) d17d2267-e8c7-44f6-8b5d-dfb14b9af349 Germany (DE) 7901121c-8fe3-41c6-9fdb-527f4f1edbb1 Sweden (SE) 204752f3-7313-40ba-a42c-a33d42e3733e Poland (PL) 1d1faa88-73e6-4595-be13-4c1a98dd3853 France (FR) 4b260bd7-4b5e-4a9a-9195-3a35ea59b8fa Germany (DE) 2363893f-7dad-4f34-ab75-94d0b1c03a2d Germany (DE) f4f64541-00df-4249-b269-0676cbbd1c32 Denmark (DK) e809d73f-4961-4660-8316-734568e1b6de Croatia (HR) 16a6f53e-52cc-4887-b578-74f402c126f3 France (FR) 42dcfb02-c278-4e61-8753-96a804c2b104 Germany (DE) 85b3320e-e089-4a20-b22c-c6e133b6f371 Hungary (HU) bc4d8b1e-2704-4b99-ae20-47a544cb7ca8 Belgium (BE) 1b090dc9-2c34-4c63-ab04-0f6dab98099b Spain (ES) 90a6aa39-b590-43f1-a316-59a60b3bb09f Netherlands (NL) 47a4d641-a719-4e8e-b25c-526aa21877e7 Poland (PL) 4750f2cb-c206-455f-b737-844d55474add Czech Republic (CZ) 9a05d3d3-4117-48c4-96f2-79dd442d600d Greece (GR) c03acc20-8d9a-416a-92a7-7baa1fcc7b11 Estonia (EE) 2ee08c91-6a0e-47f1-8ce3-4bbf6346f52a Hungary (HU) c67ee1dd-7924-40a1-8da6-0db9669a79f6 Portugal (PT) db49078e-8447-4991-9f33-13de4c35f273 Sweden (SE) 3ae60897-6e45-4471-b81c-ce6718bc965f Poland (PL) a363a3a0-e96f-418a-a390-1f8b68c2f452 Germany (DE)

8ff1da2b-e6b7-45ae-a4b1-9e86a4563f04 Portugal (PT)	
7bc596ec-dc9b-43fd-bd7d-6d5291f32a48 Hungary (HU)	
1a5b488f-f9db-4000-872b-6808580c9c08 France (FR)	
12d3e04b-cca3-411f-b9b4-86c42b0d3922 Spain (ES)	
f3215511-4236-408d-8daa-d0ca1d007325 Norway (NO)	
0ef0e51f-2763-4936-8f77-e4672f5b9019 Germany (DE)	
9ca97094-bdfe-4418-93e1-723c3dfa811b Belgium (BE)	
f1581418-8cb7-462f-b021-ff242d13542d Sweden (SE)	
6d0a24bb-2df7-4db4-83f4-48e30fcac181 Czech Republic (CZ)	
7031f57a-fc4d-4cdd-aeef-0fadf59627b8 Netherlands (NL)	
e8080743-4330-4fb3-be7b-f1eff5a2c44b Hungary (HU)	
e7255835-d4f9-424c-b9c2-e7d243d0912a Greece (GR)	
4b892540-9fb9-4626-a816-de839c7ba6d7 Estonia (EE)	
0bd6957b-e9d8-4776-97fa-6b482d82a511 Finland (FI)	
9075bef7-16d5-4b54-b810-92a5bce7f60e Poland (PL)	
3a421acc-3d31-4961-abb0-b56132b8e2a5 Germany (DE)	
aaf969cc-1282-4ded-807f-f9522ed9dd06 Denmark (DK)	
057fb607-96ab-4cc6-aff6-3e63e18f00ff Germany (DE)	
e77e91cd-528a-4b29-9ea5-2be5ae0d16a6 Croatia (HR)	
018325de-5f49-4021-bec5-163b2bdc8a0 Poland (PL)	
6d93bb09-5d1b-406a-b955-74d817f7d868 France (FR)	
b1e6bb19-94c6-46e8-afdf-72dc85be0cb0 Poland (PL)	
73520563-7bf9-4922-abe1-a0fef38f815a Germany (DE)	
6c744df1-729c-465f-a207-92fffc14bd4a Germany (DE)	
43f09c41-64a7-41a7-8e94-22edb871fbb6 Belgium (BE)	
3b74c2f4-d23c-451a-a1d7-c3688e0864bf Sweden (SE)	
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of	2CMT2015-005435
Conformity - CE	

Container Information

Package Level 1 Width	281 mm
Package Level 1 Depth / Length	342 mm
Package Level 1 Height	224 mm
Package Level 1 Gross Weight	17.1 kg
Package Level 1 EAN	7320500098950

External Classifications and Standards

Object Classification Code	Q
ETIM 7	EC000066 - Power contactor, AC switching
ETIM 8	EC000066 - Power contactor, AC switching
UNSPSC	39121529
IDEA Granular Category Code (IGCC)	4755 >> Contactors

Categories

Low Voltage Products and Systems → Control Products → Contactors → Service

