

# Product data sheet

Specifications



adaptation kit, Lexium ILA, GBK,  
size 60, 16mm, for assembly  
motor and gearbox

GBK0600570A

Product availability: Non-Stock - Not normally stocked in  
distribution facility

**Price\*: 137.51 USD**

## Main

Range Compatibility	Lexium ILA
Product or Component Type	Adaptation kit
Device short name	GBK
Accessory / separate part category	Adaptation accessory
Product Compatibility	ILA
Accessory / separate part destination	For assembly motor and gearbox
Kit composition	A shaft end adaptor Screws and bolts for mounting An adaptor plate
Gearbox external diameter	2.4 in (60 mm)

## Complementary

Motor flange size	2.2 in (57 mm)
Number of motor stacks	2 3 1
Length	0.6 in (16.1 mm)
Net Weight	0.4 lb(US) (0.2 kg)

## Ordering and shipping details

Category	US1PC5318283
Discount Schedule	PC53
GTIN	3606480397776
Returnability	No
Country of origin	US

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.150 in (8.000 cm)
Package 1 Width	6.378 in (16.200 cm)
Package 1 Length	6.929 in (17.600 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Package 1 Weight</b>	7.337 oz (208.000 g)
<b>Unit Type of Package 2</b>	P06
<b>Number of Units in Package 2</b>	50
<b>Package 2 Height</b>	29.528 in (75.000 cm)
<b>Package 2 Width</b>	23.622 in (60.000 cm)
<b>Package 2 Length</b>	31.496 in (80.000 cm)
<b>Package 2 Weight</b>	56.108 lb(US) (25.450 kg)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes


Pvc Free

## Certifications & Standards

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

Dimensions Drawings

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
16.1	60	M5	66.7	14 x 9 x 20

Values in in.

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
0.63	2.36	M5	2.63	0.55 x 0.35 x 0.79