Product data sheet

Specifications





Combination block,TeSys Deca,between GV2(Screw connection) mounted on LAD311 and LC1D09-D38

GV2AF4

Product availability: Stock - Normally stocked in distribution facility

Price*: 3.20 USD

Main

| Range | Linergy |
|--------------------------------------|-------------------------------|
| Product name | FT |
| Device short name | GV2AF |
| Product or Component Type | Combination block |
| Accessory / separate part categor | Connection accessory |
| Range compatibility | TeSys GV2 TeSys TeSys Deca |

Complementary

| Product Compatibility | LC1D09D38 Adaptor plate |
|-----------------------|----------------------------|
| poles description | 3P |
| Quantity per Set | Set of 10 |
| Net Weight | 0.035 lb(US) (0.016 kg) |

Ordering and shipping details

| Category | US10I1122367 |
|-------------------|---------------|
| Discount Schedule | 0l11 |
| GTIN | 3389110569100 |
| Returnability | Yes |
| Country of origin | US |

Packing Units

| V | |
|------------------------------|---------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.575 in (4.000 cm) |
| Package 1 Width | 1.772 in (4.500 cm) |
| Package 1 Length | 2.953 in (7.500 cm) |
| Package 1 Weight | 0.635 oz (18.000 g) |
| Unit Type of Package 2 | BB1 |

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

| Number of Units in Package 2 | 10 |
|------------------------------|-------------------------|
| Package 2 Height | 3.740 in (9.500 cm) |
| Package 2 Width | 3.937 in (10.000 cm) |
| Package 2 Length | 5.906 in (15.000 cm) |
| Package 2 Weight | 8.254 oz (234.000 g) |
| Unit Type of Package 3 | S03 |
| Number of Units in Package 3 | 140 |
| Package 3 Height | 11.811 in (30.000 cm) |
| Package 3 Width | 11.811 in (30.000 cm) |
| Package 3 Length | 15.748 in (40.000 cm) |
| Package 3 Weight | 8.267 lb(US) (3.750 kg) |

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh


Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

| Reach Regulation | REACh Declaration | |
|--------------------------|--|--|
| Eu Rohs Directive | Compliant EU RoHS Declaration | |
| China Rohs Regulation | China RoHS declaration | |
| Environmental Disclosure | Product Environmental Profile | |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. | |
| Circularity Profile | End of Life Information | |

Dimensions Drawings



| GV2ME + | LC1D09D18 | LC1D25 and D32 |
|---------|-----------|----------------|
| b | 176.4 | 186.8 |
| c1 | 103.1 | 136.4 |
| с | 135.6 | 141.9 |
| d1 | 107 | 107 |
| d | 112.5 | 112.5 |