Specifications

Green



Extended rotary handle kit, TeSys Deca, IP65, red handle, without trip indication, for GV2L-GV2P

GV2APN04

Product availability: Stock - Normally stocked in distribution facility

Price*: 144.00 USD

Main

Range	TeSys TeSys Deca	
Device short name	GV2AP	
Product or Component Type	Rotary handle kit	
Accessory / separate part category	Control accessory	
Handle colour	Red	
Handle front plate colour	Yellow	

Complementary

Product Compatibility	GV2P GV2L	
Rotary handle padlocking	Padlock in OFF position	
Rotary handle mounting style	Extended	
Locking options description	1 to 3 padlocks	
Back/door distance	5.59.8 in (140250 mm)	
Net Weight	0.7 lb(US) (0.3 kg)	

Environment

IP degree of protection

IP65

Ordering and shipping details

Category	US10I1122367	
Discount Schedule	0111	
GTIN	3606480313509	
Returnability	Yes	
Country of origin	US	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	2.559 in (6.500 cm)	
Package 1 Width	3.543 in (9.000 cm)	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Length	14.567 in (37.000 cm)	
Package 1 Weight	11.817 oz (335.000 g)	
Unit Type of Package 2	\$03	
Number of Units in Package 2	12	
Package 2 Height	11.811 in (30.000 cm)	
Package 2 Width	11.811 in (30.000 cm)	
Package 2 Length	15.748 in (40.000 cm)	
Package 2 Weight	9.744 lb(US) (4.420 kg)	

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Mercury Free


Rohs Exemption Information

Certifications & Standards


Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Dimensions Drawings

Mounting of External Operator GV2APN01, GV2APN02 or GV2APN04 for Motor Circuit Breakers GV2L



Door cut-out



(1) For IP65 only.

Product data sheet

Image of product / Alternate images

Alternative





Product data sheet



