



# Linergy FT - Comb busbar - 63 A - 2 tap-offs - 72 mm pitch

GV2G272

#### Main

Range	Linergy	
Product name	FT	
Device short name	GV2G	
product or component type	Comb busbar	
Accessory / separate part category	Connection accessory	
poles description	3P	
Range compatibility	TeSys D TeSys GV2 TeSys K TeSys U	
Number of tap-offs	2	
[Ith] conventional free air thermal current	63 A	
Connection pitch	72 mm	

### Complementary

mounting location	On terminal
[Ui] rated insulation voltage	690 V
Length	116 mm
net weight	0.05 kg

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.0 cm
Package 1 Width	3.3 cm
Package 1 Length	11.7 cm
Package 1 Weight	46.0 g
Unit Type of Package 2	S01
Number of Units in Package 2	40
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	2.039 kg

# **Contractual warranty**

Warranty

18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance


<b>Ø</b>	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**


Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

#### **Dimensions Drawings**

#### Sets of Busbars $\text{GV2G}_{\bullet \bullet \bullet}$ with Terminal Block GV1G09



#### Sets of Busbars GV2G245, GV2G254, GV2GR272



	1
GV2G245 (2 x 45 mm)	89
GV2G254 (2 x 54 mm)	98
GV2G272 (2 x 72 mm)	116