



Extended rotary handle, TeSys GV7, black legend plate, padlockable, IP55

GV7AP01

Product availability: Stock - Normally stocked in distribution facility

Price*: 102.00 USD

Main

Range	TeSys
Product or Component Type	Extended rotary handle
Device short name	GV7AP
Range compatibility	TeSys TeSys GV7 motor circuit breaker TeSys TeSys GV5 motor circuit breaker
Accessory / separate part category	Control accessory
Rotary handle mounting location	Front
Rotary handle mounting style	Extended

Complementary

Handle colour	Black
Handle front plate colour	Black
Back/door distance	7.323.6 in (185600 mm)
Rotary handle padlocking	1 to 3 padlocks 0.20.3 in (58 mm) Padlock in OFF position
Net Weight	1.709 lb(US) (0.775 kg)

Environment

IP Degree of Protection IP55

Ordering and shipping details

Category	US10I1122366
Discount Schedule	0111
GTIN	3389110567328
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.898 in (9.900 cm)
Package 1 Width	4.173 in (10.600 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	19.370 in (49.200 cm)
Package 1 Weight	25.044 oz (710.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	6
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	12.152 lb(US) (5.512 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	12
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	23.622 in (60.000 cm)
Package 3 Weight	41.888 lb(US) (19.000 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information


Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Dimensions Drawings

Extended Rotary Handle GV7AP01, GV7AP02



I: 185 minimum, 600 maximum

The shaft of the extended rotary handle GV7AP01 or GV7AP02 must be cut to length: I – 126 mm.