



PRODUCT-DETAILS

AUX-C 1Q+1SY 24V d.c. A1 2p UL

AUX-C 1Q+1SY 24V d.c. A1 2p UL

General Information	
Extended Product Type	AUX-C 1Q+1SY 24V d.c. A1 2p UL
Product ID	1SDA069969R1
EAN	8015644707286
Catalog Description	AUX-C 1Q+1SY 24V d.c. A1 2p UL
Long Description	1 CHANGEOVER CONTACT OPEN-CLOSED + 1 CHANGEOVER FOR TRIPPED INDICATION V <(><<> 24V DC WIRED FOR TWO-POLE A1 UL

Material Compliance	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
---------------------------	-----------------

Ordering

Order Code US and Canada	KA2ASAU-2
EAN	8015644707286
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.04 kg
--------------------	---------

Container Information

Package Level 1 Gross Weight	0.06 kg
------------------------------	---------

Additional Information

Product Main Type	Accessories for FORMULA
Product Name	Accessory
Product Type	ACC
Suitable For	A1

Technical

Configuration Type	Loose or configurable
Number of Auxiliary Contacts CO (SPDT)	2
Number of Poles	2P
Standards	UL

Certificates and Declarations

Data Sheet, Technical Information	1SDC210400D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDC210032D0204

External Classifications and Standards

ETIM 8	EC000041 - Auxiliary contact block
ETIM 9	EC000041 - Auxiliary contact block
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block
UNSPSC	39121522
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371302

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Formula DSA