# **Product datasheet**

Specifications





# LOAD BREAK SWITCH HANDLE IEC + OPTIONS

KCF1YZ

## ① Discontinued

#### Main

Range	TeSys
Device short name	KCF1
product or component type	Rotary handle
Product compatibility	V02V2
handle colour	Red

# Complementary

Handle front plate colour	Yellow
Rotary handle padlocking	1 to 3 padlocks 48 mm
marking	0 - 1
Fixing mode	Hole, with diameter 5.5 mm
handle front plate dimension	60 x 60 mm
Height	60 mm
Width	60 mm
net weight	0.06 kg

#### Environment

IP degree of protection IP40

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.500 cm
Package 1 Width	7.000 cm
Package 1 Length	7.000 cm
Package 1 Weight	66.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm

Package 2 Weight

1.608 kg

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations