# **Product datasheet**

Specifications

 → Green Premium<sup>™</sup>



Handles and front plates,TeSys Control,red handle,yellow front,without padlocking,4 screws fixing

KDF3PZ



#### Main

Range	TeSys	
Device short name	KDF3	
Product or component type	Rotary handle	
Product compatibility	V5 V6	
Handle colour	Red	

## Complementary

Handle front plate colour	Yellow
Rotary handle padlocking	Without
Marking	0 - 1
Fixing mode	By 4 screws
handle front plate dimension	90 x 90 mm
Height	90 mm
Width	90 mm
Product weight	0.16 kg

### Environment

IP degree of protection

IP65

### **Packing Units**

<b>U</b>	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.5 cm
Package 1 Width	15.2 cm
Package 1 Length	10.0 cm
Package 1 Weight	194.0 g
Unit Type of Package 2	\$03
Number of Units in Package 2	10
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm

Package 2 Length	40.0 cm	
Package 2 Weight	2.412 kg	

### **Contractual warranty**

Warranty

18 months

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations