

PRODUCT-DETAILS

# KL70-305C

## KL70-305C Light Element



### General Information

Extended Product Type	KL70-305C
Product ID	1SFA616070R3058
EAN	7320500239360
Catalog Description	KL70-305C Light Element
Long Description	KL70-305C Light Element LED Clear Permanent light

### Technical

Standards	CAN/CSA C22.2 No.14, IEC/EN 60947-1, IEC/EN 60947-5-1, UL 508
Function	Permanent light
Rated Operational Voltage	24 V AC/DC
Product Range	Not applicable
Accessory Type	Signal towers and beacons
Lamp Type	LED
Product Type	KL
Color	Clear

### Environmental

Ambient Air Temperature	Operation -20 ... +50 °C Storage -20 ... 50 °C
Degree of Protection	Front IP54
Maximum Operating	Without Derating 2000 m

Altitude Permissible

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Environmental Information	1SFC151006D0201

## Dimensions

Product Net Width	0.07 m
Product Net Height	0.07 m
Product Net Depth / Length	0.06 m
Product Net Weight	0.1 kg

## Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.065 m
Package Level 1 Height	0.075 m
Package Level 1 Depth / Length	0.075 m
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	7320500239360

## Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369001
E-Number (Finland)	2313774

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMT2015-005456
Environmental Information	1SFC151006D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005456

## Popular Downloads

Data Sheet, Technical Information	1SFC151007C02__
Instructions and Manuals	1SFC151011M0201

## Classifications

ETIM 7	EC000232 - Optical module for signal tower
ETIM 8	EC000232 - Optical module for signal tower
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 90 01
UNSPSC	39121500
eClass	V11.0 : 27371220

Object Classification  
Code

P

---

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Signal Towers and Beacons

