KP6-40B 1/3



PRODUCT-DETAILS

KP6-40B

KP6-40B Pushbutton



| General Information | |
|-----------------------|---|
| Extended Product Type | KP6-40B |
| Product ID | 1SFA616105W4006 |
| EAN | 7320500339237 |
| Catalog Description | KP6-40B Pushbutton |
| Long Description | The KP6-40B Pushbutton is: Momentary - Heavy duty rubber without holder - Black - Non-illuminated - Black Plastic This Pushbutton is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application. |

| Ordering | |
|------------------------|------------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 8536508090 |

KP6-40B 2/3

| Popular Downloads | |
|--------------------------------------|--|
| Data Sheet, Technical Information | 1SFC151007C02_ |
| Instructions and Manuals | 1SFC151011M020 |
| Dimensions | |
| Product Net Width | 0.043 n |
| Product Net Height | 0.043 n |
| Product Net Depth / Length | 0.02 r |
| Product Net Weight | 0.021 kg |
| | |
| Ambient Air Temperature | Operation -25 +70 °C Storage -40 +85 °C |
| Color | Blac |
| Actuator Type | Heavy duty rubbe |
| Illumination | Non-illuminated |
| Function | Momentar |
| Enclosure Type NEMA | Type3 Type3 Type Type4 |

|--|

| Degree of Protection | Front IP66 |
|----------------------|----------------|
| | Terminals IP20 |

| Material Compliance | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE Category | Product Not in WEEE Scope |

| Certificates and Declarations | |
|-------------------------------|-----------------|
| Declaration of | 2CMT2015-005453 |
| Conformity - CE | |
| Declaration of | 2CMT2020-006121 |
| Conformity - UKCA | |

Container Information

KP6-40B 3/3

| Package Level 1 Units | bag 10 piece |
|-----------------------------------|---------------|
| Package Level 1 Width | 0.135 m |
| Package Level 1 Depth / Length | 0.145 m |
| Package Level 1 Height | 0.015 m |
| Package Level 1 Gross Weight | 0.24 kg |
| Package Level 1 EAN | 7320500339237 |

| Classifications | |
|-------------------------------|--|
| Object Classification Code | S |
| ETIM 6 | EC000221 - Front element for push button |
| ETIM 7 | EC000221 - Front element for push button |
| ETIM 8 | EC000221 - Front element for push button |
| eClass | V11.0 : 27371210 |
| UNSPSC | 39121500 |

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Pilot Devices} \rightarrow \textbf{Modular Plastic Range}$

