KPR1-100W 1/3



PRODUCT-DETAILS

KPR1-100W KPR1-100W Reset push button



| General Information | |
|-----------------------|---|
| Extended Product Type | KPR1-100W |
| Product ID | 1SFA616160R1005 |
| EAN | 7320500547960 |
| Catalog Description | KPR1-100W Reset push button |
| Long Description | The KPR1-100W Reset push button is: Without shaft - Momentary - Flush - White - Non- illuminated - Black Plastic - RUECKSTELLTASTE KPR1-100W FLACH OHNE STOESSEL WEISS This Reset push button is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application. |

| 1 | rA | ^r | ın | |
|----|----|----|------|---|
| ., | IU | er | 11 1 | u |
| | | | | |

Minimum Order Quantity 10 piece
Customs Tariff Number 8536508090

KPR1-100W 2/3

| Popular Downloads | |
|---|--|
| Data Sheet, Technical | 1SFC151007C02_ |
| Information | |
| Instructions and Manuals | 1SFC151011M0201 |
| Dimensions | |
| Product Net Width | 0.03 m |
| Product Net Height | 0.03 m |
| Product Net Depth / Length | 0.04 m |
| Product Net Weight | 0.014 kg |
| Technical | |
| Ambient Air Temperature | Operation -25 +70 °C Storage -40 +85 °C |
| Color | Storage -40 763 C |
| Actuator Type | Flush |
| Bezel Material | Black Plastic |
| Illumination | Non-illuminated |
| Function | Momentary |
| Sub-Function | Without shaft |
| Enclosure Type NEMA | Type1 |
| | Type12 Type13 |
| | Type3R |
| | Type4 Type4X |
| Mechanical Durability | 2 million |
| | |
| Environmental | |
| Degree of Protection | Front IP66 |
| | |
| Material Compliance | |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | Product Not in WEEE Scope |
| Certificates and Declarations | |
| cULus Certificate | 9AKK107046A9924 |
| Declaration of Conformity - CE | 2CMT2015-005453 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |

KPR1-100W 3/3

| Container Information | |
|---------------------------------|---------------|
| Package Level 1 Units | bag 10 piece |
| Package Level 1 Width | 0.135 m |
| Package Level 1 Depth / Length | 0.145 m |
| Package Level 1 Height | 0.032 m |
| Package Level 1 Gross Weight | 0.143 kg |
| Package Level 1 EAN | 7320500248638 |

| Classifications | |
|---------------------------------------|--|
| Object Classification Code | S |
| ETIM 6 | EC000221 - Front element for push button |
| ETIM 7 | EC000221 - Front element for push button |
| ETIM 8 | EC000221 - Front element for push button |
| eClass | V11.0 : 27371210 |
| UNSPSC | 39122216 |
| IDEA Granular Category Code (IGCC) | 5212 >> Push button for distribution board |
| E-Number (Finland) | 2312809 |
| E-Number (Norway) | 4372585 |

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Control\ Products\ \rightarrow\ Pilot\ Devices\ \rightarrow\ Modular\ Plastic\ Range\ \rightarrow\ KPR\ Reset\ Pushbutton$

