



PRODUCT-DETAILS

EXTENSION 6pin AUX T4-T5-T6 P/W
EXTENSION 6pin AUX T4-T5-T6 P/W



General Information	
Extended Product Type	EXTENSION 6pin AUX T4-T5-T6 P/W
Product ID	1SDA055063R1
EAN	8015644562137
Catalog Description	EXTENSION 6pin AUX T4-T5-T6 P/W
Long Description	EXTENSION 6pin FOR AUX TEST ON PLUG/IN-WITHDRAWABLE C.BREAKER IN POSITION OF EXTRACT T4-T5-T6

Material Compliance	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information9AKK108467A6707

Ordering

Order Code US and Canada	KT5EXT-6
EAN	8015644562137
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.21 kg
--------------------	---------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	110 mm
Package Level 1 Height	60 mm
Package Level 1 Depth / Length	140 mm
Package Level 1 Gross Weight	0.21 kg
Package Level 1 EAN	8015644562137

Additional Information

Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Suitable For	T4, T5, T6
Suitable for Product Class	SACE Tmax T

Technical

Configuration Type	Loose or configurable
Standards	IEC

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0653

External Classifications and Standards

ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

