



PRODUCT-DETAILS

X4 FOR PR222DS/P/PD T4..T6 F > N EXT

X4 FOR PR222DS/P/PD T4..T6 F > N EXT

General Information	
Extended Product Type	X4 FOR PR222DS/P/PD T4..T6 F > N EXT
Product ID	1SDA055060R1
EAN	8015644562106
Catalog Description	X4 FOR PR222DS/P/PD T4..T6 F > N EXT
Long Description	X4 CONNECTORS FOR PR222DS/P/PD WITH EXTERNAL NEUTRAL OR PR222MP +PR212/CI FOR FIXED C.BREAKER T4..T6

Material Compliance	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

Ordering	
Order Code US and Canada	KT6CX4
EAN	8015644562106
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions	
Product Net Weight	0.07 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	11 mm
Package Level 1 Height	6 mm
Package Level 1 Depth / Length	13 mm
Package Level 1 Gross Weight	0.093 kg
Package Level 1 EAN	8015644562106

Additional Information	
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Suitable For	T4, T5, T6
Suitable for Product Class	SACE Tmax T

Technical	
Configuration Type	Loose or configurable
Standards	IEC

Certificates and Declarations	
Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0658

External Classifications and Standards		
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology	
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology	
Object Classification Code		Q
UNSPSC		39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
eClass		V11.1 : 27371390

Categories
Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T