



PRODUCT-DETAILS

KIT F XT3 3pcs

KIT F XT3 3pcs



General Information	
Extended Product Type	KIT F XT3 3pcs
Product ID	1SDA066857R1
EAN	8015644006006
Catalog Description	KIT F XT3 3pcs
Long Description	FRONT TERMINALS 3pcs XT3

Material Compliance	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

Ordering	
Order Code US and Canada	KXT3F-3PC
E-Number (Finland)	3642226
E-Number (Norway)	4384992
EAN	8015644006006
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions	
Product Net Weight	0.075 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	150 mm
Package Level 1 Height	15 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Gross Weight	0.079 kg
Package Level 1 EAN	8015644006006

Additional Information	
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Suitable For	XT3
Suitable for Product Class	SACE Tmax XT

Technical	
Configuration Type	Loose or configurable
Number of Poles	3P
Order Multiple	1 piece
Standards	IEC60947-2 UL489
Terminal Connection Type	Fixed Circuit-Breakers

Certificates and Declarations	
Data Sheet, Technical Information	1SDC210100D0205 1SDC210099D0205

Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000719R0811

External Classifications and Standards

ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals
Object Classification Code	Q
UNSPSC	39121432
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371305

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

