Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





TeSys Deca, suppressor module, varistor, 50...127 V DC

LA4DE3G

! Discontinued on: Oct 8, 2021

! Discontinued

Main

| Range | TeSys |
|---------------------------|--|
| Device short name | LA4D |
| Product or Component Type | Suppressor module |
| Product compatibility | 4P LC1D40008D80008 3P LC1D80D95 4P LP1D80004 |

Complementary

| mounting location | Тор |
|------------------------------|--------------------------|
| Mounting Mode | By screws |
| Suppressor technology | Varistor (peak limiting) |
| [Uc] control circuit voltage | 50127 V DC |
| Maximum peak voltage | 2 Uc |
| Net Weight | 0.040 lb(US) (0.018 kg) |

Environment

| Ambient Air Temperature for Operation | -13131 °F (-2555 °C) |
|--|----------------------|
| Ambient Air Temperature for Storage | -40176 °F (-4080 °C) |

Ordering and shipping details

| Category | 22341-CONTACTOR,D,K,&F ACCESS | |
|-------------------|-------------------------------|--|
| Discount Schedule | 112 | |
| GTIN | 3389110233148 | |
| Returnability | No | |
| Country of origin | FR | |

Packing Units

| Unit Type of Package 1 | PCE | |
|------------------------------|---------------------|--|
| Number of Units in Package 1 | 1 | |
| Package 1 Height | 1.063 in (2.700 cm) | |
| Package 1 Width | 2.047 in (5.200 cm) | |
| Package 1 Length | 1.693 in (4.300 cm) | |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| 5 | | |
|------------------------------|-----------------------|--|
| Package 1 Weight | 0.564 oz (16.000 g) | |
| Unit Type of Package 2 | S01 | |
| Number of Units in Package 2 | 32 | |
| Package 2 Height | 5.906 in (15.000 cm) | |
| Package 2 Width | 5.906 in (15.000 cm) | |
| Package 2 Length | 15.748 in (40.000 cm) | |
| Package 2 Weight | 23.951 oz (679.000 g) | |

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

| ⊘ | Reach Free Of Svhc | |
|----------|----------------------------|-----|
| Ø | Toxic Heavy Metal Free | |
| ⊘ | Mercury Free | |
| ⊘ | Rohs Exemption Information | Yes |

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Compliant EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |