Product data sheet

Specification





Suppressor module, varistor, TeSys K, 32 to 48V

LA4KE1E

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 11.76 USD

Main

Range	TeSys
Device short name	LA4K
Product or Component Type	Suppressor module
Product Compatibility	LC1K
	LP1K
	LP4K
	CA2K
	CA3K

Complementary

mounting location	Front side	
Mounting Mode	Clip-on	
Suppressor technology	Varistor (peak limiting)	
[Uc] control circuit voltage	3248 V DC 3248 V AC	
Maximum peak voltage	2 Uc	
Local signalling	LED	
Quantity per Set	Set of 5	
Height	1.02 in (26 mm)	
Width	0.2 in (6 mm)	
Depth	0.9 in (22 mm)	
Net Weight	0.02 lb(US) (0.01 kg)	

Environment

Standards	UL 60947-5-1 CSA C22.2 No 60947-5-1 EN/IEC 60947-5-1	
Product Certifications	UL CSA CE UKCA	
IP degree of protection	IP2XIEC 60529	
Protective treatment	TCIEC 60068 TCDIN 50016	
Ambient Air Temperature for Operation	-13.0000000000122.0000000000 °F (-2550 °C)	
Ambient Air Temperature for Storage	-58.0000000000176.0000000000 °F (-5080 °C)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ordering and shipping details

Category	US10I1222341	
Discount Schedule	0112	
GTIN	3389110230222	
Returnability	No	
Country of origin	FR	

Packing Units

· acimig cimes		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.102 in (2.800 cm)	
Package 1 Width	2.047 in (5.200 cm)	
Package 1 Length	1.654 in (4.200 cm)	
Package 1 Weight	0.155 oz (4.400 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	5	
Package 2 Height	1.102 in (2.800 cm)	
Package 2 Width	2.047 in (5.200 cm)	
Package 2 Length	1.654 in (4.200 cm)	
Package 2 Weight	0.917 oz (26.000 g)	
Unit Type of Package 3	S01	
Number of Units in Package 3	3 420	
Package 3 Height	5.906 in (15.000 cm)	
Package 3 Width	5.906 in (15.000 cm)	
Package 3 Length	15.748 in (40.000 cm)	
Package 3 Weight	5.650 lb(US) (2.563 kg)	

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations