Product data sheet

Specification





TeSys SK, Suppressor module, varistor, 24...48V AC/DC

LA4SKE1E

Product availability: Stock - Normally stocked in distribution facility

Price*: 21.80 USD

Main

Pones	T-0	
Range	TeSys	
Device short name	LA4SK	
Product or Component Type	Suppressor module	
Product Compatibility	CA2SK	
	LC1SK06	
	CA3SK	
	LC1SKGC	
	LP1SK06	
Suppressor technology	Varistor (peak limiting)	
Quantity per Set	Set of 10	

Complementary

mounting location	Right hand side
[Uc] control circuit voltage	2448 V AC 2448 V DC
Maximum peak voltage	2 Uc
Net Weight	0.007 lb(US) (0.003 kg)

Environment

Ambient Air Temperature for Operation	-4.0000000000122.0000000000 °F (-2050 °C)
Ambient Air Temperature for Storage	-58.0000000000158.0000000000 °F (-5070 °C)

Ordering and shipping details

Category	US10I1222371	
Discount Schedule	0112	
GTIN	3389110564037	
Returnability	Yes	
Country of origin	US	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.6 in (4.0 cm)	
Package 1 Width	2.0 in (5.0 cm)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	4.7 in (12.0 cm)	
Package 1 Weight	0.07 oz (2.0 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	10	
Package 2 Height	1.6 in (4.0 cm)	
Package 2 Width	2.0 in (5.0 cm)	
Package 2 Length	4.7 in (12.0 cm)	
Package 2 Weight	1.0 oz (28.0 g)	
Unit Type of Package 3	S01	
Number of Units in Package 3	190	
Package 3 Height	5.9 in (15.0 cm)	
Package 3 Width	5.9 in (15.0 cm)	
Package 3 Length	15.7 in (40.0 cm)	
Package 3 Weight	27.05 oz (767.0 g)	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

	Reach Free Of Svhc	
	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations