Product data sheet

Specifications





CONTACTOR LATCH BLOCK IEC

LA6DK20B

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 92.40 USD

Main

Range	TeSys
Product or Component Type	Mechanical latch block
Product compatibility	LC1D80D150 3 phase AC
	LC1D80 3 phase DC
	LC1D150 3 phase DC
	LC1D80 3 phases + neutral AC
	LC1D115 3 phases + neutral AC
	LP1D80 3 phases + neutral DC
	LC1D115 3 phases + neutral DC
[Uc] control circuit voltage	24 V AC 50/60 Hz
	24 V DC

Complementary

mounting location	Front side	
Tripping control	Electrical Manual	
[Ui] rated insulation voltage	690 V IEC 60947-5-1	
Power required in VA	25 AC	
Power required in W	30 W DC	
Mechanical durability	500000 cycles	
Maximum operating rate	1200 cyc/h	
On-load factor	10 %	
Net Weight	0.20 lb(US) (0.09 kg)	

Environment

Product Certifications	UL CSA	
IP degree of protection	IP2XIEC 60529	
Protective treatment	THIEC 60068	
Ambient Air Temperature for Operation	-13.0000000000131.0000000000 °F (-2555 °C)	
Ambient Air Temperature for Storage	-40.000000000176.0000000000 °F (-4080 °C)	

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0112
GTIN	3389110745832

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Returnability	No	
Country of origin	FR	

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.0 in (5 cm)
Package 1 Width	2.6 in (6.5 cm)
Package 1 Length	1.9 in (4.7 cm)
Package 1 Weight	3.5 oz (98 g)
Unit Type of Package 2	S01
Number of Units in Package 2	32
Package 2 Height	5.9 in (15 cm)
Package 2 Width	5.9 in (15 cm)
Package 2 Length	15.7 in (40 cm)
Package 2 Weight	7.311 lb(US) (3.316 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration	
Eu Rohs Directive	Compliant with Exemptions	
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.	
Environmental Disclosure	Product Environmental Profile	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	
Circularity Profile	End of Life Information	