## **Product datasheet**

Specifications



# TeSys; TeSys Deca, thermal overload relays, remote electrical tripping, 24 V DC/AC

LA7D03B

## Main

Range	TeSys	
product or component type	Electrical remote tripping	
Device short name	LA7D	
Accessory / separate part categor	Electrical accessory	
Product compatibility	LRD15 LR2D LR3D15 LR3D35 LR3D33 LRD33 LRD43 LR3D43	
[Uc] control circuit voltage	24 V AC 50/60 Hz 24 V DC	

## Complementary

Maximum inrush power in VA	100 VA
Inrush power in W	0100 W
net weight	0.09 kg

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	4.8 cm
Package 1 Length	4.8 cm
Package 1 Weight	109.0 g
Unit Type of Package 2	S01
Number of Units in Package 2	32
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.668 kg

## **Contractual warranty**

Warranty

18 months

### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

	Reach Free Of Svhc	
0	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant
		EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
		Pro-active China RoHS declaration (out of China RoHS legal scope)
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins