

# Thermal overload relays, TeSys Deca, remote electrical tripping, 110V DC/AC

LA7D03F

#### Main

Range	TeSys	
product or component type	Electrical remote tripping	
Device short name	LA7D	
Accessory / separate part categor	Electrical accessory	
Product compatibility	LRD43 LR3D15 LR2D LRD33 LR3D43 LR3D35 LR3D35 LRD15 LR3D33	
[Uc] control circuit voltage	110 V AC 50/60 Hz 110 V DC	

# Complementary

Maximum inrush power in VA	100 VA
Inrush power in W	0100 W
net weight	0.09 kg

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	4.800 cm
Package 1 Length	4.800 cm
Package 1 Weight	106.000 g
Unit Type of Package 2	S01
Number of Units in Package 2	32
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.565 kg

# **Contractual warranty**

Warranty 18 months

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

# Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>Ø</b>	Mercury Free	
<b>②</b>	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins