# **Product data sheet**

Specifications





# D40A to D65A RC 24-48V Suppressor

LAD4RC3E

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 31.44 USD

### Main

Range	TeSys TeSys Deca
Device short name	LAD4
Product or Component Type	Suppressor module
Product compatibility	3P LC1D40AD80A 4P LC1DT60ADT80A

## Complementary

mounting location	Front	
Mounting Mode	By clips	
Suppressor technology	RC circuit	
[Uc] control circuit voltage	2448 V AC	
Maximum peak voltage	3 Uc	
Net Weight	0.04 lb(US) (0.02 kg)	
color	Dark grey	

#### **Environment**

Standards	IEC 60947-5-1 EN 60947-5-1 CSA C22.2 No 60947-5-1 UL 60947-5-1 GB/T 14048.5	
Product Certifications	UL CSA	
IP degree of protection	IP2XIEC 60529	
Ambient Air Temperature for Operation	-13.0000000000131.0000000000 °F (-2555 °C)	
Ambient Air Temperature for Storage		

## Ordering and shipping details

Category	US10I1222341	
Discount Schedule	0112	
GTIN	3389119410168	
Returnability	Yes	
Country of origin	CZ	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.591 in (1.500 cm)	
Package 1 Width	0.787 in (2.000 cm)	
Package 1 Length	1.969 in (5.000 cm)	
Package 1 Weight	0.564 oz (16.000 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	10	
Package 2 Height	2.480 in (6.300 cm)	
Package 2 Width	2.874 in (7.300 cm)	
Package 2 Length	4.803 in (12.200 cm)	
Package 2 Weight 6.490 oz (184.000 g)		
Unit Type of Package 3	S01	
Number of Units in Package 3	kage 3 100	
Package 3 Height	5.906 in (15.000 cm)	
Package 3 Width	5.906 in (15.000 cm)	
Package 3 Length	15.748 in (40.000 cm)	
Package 3 Weight         4.548 lb(US) (2.063 kg)		

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations

Image of product / Alternate images

### **Alternative**





## LAD4RC3E



