Product data sheet

Specifications





D40A to D65A RC 50-127V Suppressor

LAD4RC3G

Product availability: Stock - Normally stocked in distribution facility

Price*: 31.44 USD

Main

Range	TeSys TeSys Deca	
Device short name	LAD4	
Product or Component Type	Suppressor module	
Product compatibility	3P LC1D40AD80A 4P LC1DT60ADT80A	

Complementary

mounting location	Front
Mounting Mode	By clips
Suppressor technology	RC circuit
[Uc] control circuit voltage	50127 V AC
Maximum peak voltage	3 Uc
Net Weight	0.04 lb(US) (0.02 kg)
color	Dark grey

Environment

Standards	IEC 60947-5-1 EN 60947-5-1 CSA C22.2 No 60947-5-1	
	UL 60947-5-1	
	GB/T 14048.5	
Product Certifications	UL CSA	
IP degree of protection	IP2XIEC 60529	
Ambient Air Temperature for Operation	-13.000000000131.0000000000 °F (-2555 °C)	
Ambient Air Temperature for Storage	-40.000000000176.0000000000 °F (-4080 °C)	

Ordering and shipping details

Category	US10I1222341	
Discount Schedule	0112	
GTIN	3389119410175	
Returnability	Yes	
Country of origin	CZ	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Packing Units

-	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.984 in (2.500 cm)
Package 1 Width	2.756 in (7.000 cm)
Package 1 Length	3.937 in (10.000 cm)
Package 1 Weight	0.564 oz (16.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	2.874 in (7.300 cm)
Package 2 Width	2.520 in (6.400 cm)
Package 2 Length	5.118 in (13.000 cm)
Package 2 Weight	6.455 oz (183.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	100
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	5.906 in (15.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	4.449 lb(US) (2.018 kg)

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations