# **Product data sheet**

Specifications





# Suppressor module, TeSys Deca, bidirectional peak limiting diode, 72VDC

LAD4TSDL

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 47.16 USD

## Main

Range	TeSys
Device short name	LAD4
Product or Component Type	Suppressor module
Product compatibility	3P LC1D09D38  4P LC1DT20DT40  4P LC1D098D258  CAD32. CAD50

## Complementary

mounting location	Side	
Mounting Mode	By clips	
Suppressor technology	Bidirectional peak limiting diode	
[Uc] control circuit voltage	72 V DC	
Maximum peak voltage	ge 2 Uc	
Net Weight	0.026 lb(US) (0.012 kg)	

#### **Environment**

Standards	IEC 60947-5-1 EN 60947-5-1 CSA C22.2 No 60947-5-1 UL 60947-5-1 GB/T 14048.5	
Product Certifications	UL CSA	
IP degree of protection	IP2XIEC 60529	
Ambient Air Temperature for Operation	-13131 °F (-2555 °C)	
Ambient Air Temperature for Storage	-40176 °F (-4080 °C)	

## Ordering and shipping details

Category	US10I1222341	
Discount Schedule	0112	
GTIN	3389118025455	
Returnability	No	
Country of origin	FR	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# **Packing Units**

•		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.4 in (1.1 cm)	
Package 1 Width	3.9 in (10.0 cm)	
Package 1 Length	2.0 in (5.0 cm)	
Package 1 Weight	0.5 oz (13.0 g)	
Unit Type of Package 2	S01	
Number of Units in Package 2	100	
Package 2 Height	5.9 in (15.0 cm)	
Package 2 Width	5.9 in (15.0 cm)	
Package 2 Length	15.7 in (40.0 cm)	
Package 2 Weight	2.9 lb(US) (1.3 kg)	

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations