Product data sheet

Specifications





CONTACTOR MECH. LATCH CONTACT BLOCK IEC

LAD6K10E

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 92.40 USD

Main

Range	TeSys Mechanical latch block	
Product Or Component Type		
Product Compatibility	LC1D09D38 AC/DC LC1DT20DT40 AC/DC LC1D40AD80A 3 phase AC/DC LC1DT60A 3 phases + neutral AC/DC LC1DT80A 3 phases + neutral AC/DC	
[Uc] Control Circuit Voltage	42/48 V AC 50/60 Hz 42/48 V DC	

Complementary

Mounting Location	Front side	
Tripping Control	Manual Electrical	
[Ui] Rated Insulation Voltage	690 V IEC 60947-5-1	
Power Required In Va	25 AC	
Power Required In W	30 W DC	
Mechanical Durability	500000 cycles	
Maximum Operating Rate	1200 cyc/h	
On-Load Factor	10 %	
Net Weight	0.15 lb(US) (0.07 kg)	

Environment

Product Certifications	UL
	CSA
Ip Degree Of Protection	IP2XVDE 0106
Protective Treatment	THIEC 60068
Ambient Air Temperature For Operation	-13131 °F (-2555 °C)
Ambient Air Temperature For Storage	-40176 °F (-4080 °C)

Ordering and shipping details

Category	US10I1222341	
Discount Schedule	0112	
Gtin	3389110842371	
Returnability	No	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Country	Of	Origin	
---------	----	--------	--

Packing Units

Unit Type Of Package 1	PCE	
Number Of Units In Package 1	1	
Package 1 Height	2.05 in (5.2 cm)	
Package 1 Width	2.56 in (6.5 cm)	
Package 1 Length	1.85 in (4.7 cm)	
Package 1 Weight	3.49 oz (99.0 g)	
Unit Type Of Package 2	S01	
Number Of Units In Package 2	32	
Package 2 Height	5.91 in (15.0 cm)	
Package 2 Width	5.91 in (15.0 cm)	
Package 2 Length	15.75 in (40.0 cm)	
Package 2 Weight	7.36 lb(US) (3.337 kg)	

Contractual warranty

Warranty

18 months

FR

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information