Specifications



Set of power connections, inversing busbar, for 3P reversing contactors assembly, LC1D09-D38 screw clamp terminals

LAD9V6

Main

TeSys Deca	
TeSys Linergy	
LAD9	
Set of connections	
3P	
Reversing contactor	
TeSys TeSys D TeSys TeSys Deca	
LC1D09 LC1D12 LC1D18 LC1D25 LC1D32 LC1D38	

Complementary

mounting location	Downstream	
Connections - terminals	Screw clamp terminals	

Packing Units

J	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.800 cm
Package 1 Width	5.000 cm
Package 1 Length	2.000 cm
Package 1 Weight	27.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.800 cm
Package 2 Width	9.800 cm
Package 2 Length	15.000 cm
Package 2 Weight	302.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	140

Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	4.600 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Reach	n Regulation	REACh Declaration
Eu Ro	hs Directive	Compliant
		EU RoHS Declaration
China	Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)