



Full Voltage Non-Reversing Starter TeSys D, 3P, Type 1, 18A, 208VAC Coil

LE1D183A62OL70

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 230.00 USD

Main

Product or Component Type	Full voltage starter
Range of Product	Instakits
Starter Type	Non reversing

Complementary

Control Circuit Voltage	208 V AC 50/60 Hz
Current Rating	32 A AC-1
	18 A AC-3
Horsepower Rating	3 hp 240 V AC, 1 phase
	5 hp 208 V AC, 3 phase
	5 hp 230 V AC, 3 phase
	10 hp 460 V AC, 3 phase
	1 hp 120 V AC, 1 phase
	15 hp 575 V AC, 3 phase
Maximum Voltage Rating	600 V AC
Auxiliary Contacts	1 NO + 1 NC
Location of connection	Line
Height	10.04 in (255 mm)
Depth	7.008 in (178 mm)
Width	6.8 in (172 mm)

Environment

Product Certifications	IEC UL CSA
Enclosure Type	NEMA 1 nainted sheet steel

Ordering and shipping details

Category	US10l1122313
Discount Schedule	0111
GTIN	785901830450
Returnability	No

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 1	1
Package 1 Height	10.04 in (25.5 cm)
Package 1 Width	6.8 in (17.2 cm)
Package 1 Length	7.008 in (17.8 cm)
Package 1 Weight	35.999 lb(US) (16.329 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc
Ø	Toxic Heavy Metal Free
Ø	Mercury Free
Ø	Rohs Exemption Information Yes
⊘	Pvc Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations