Product data sheet

Specifications

Full Voltage Non-Reversing Starter TeSys D, 3P, Type 1, 32A, 220/240VAC Coil

LE1D323A62OM70

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product or Component Type	Full voltage starter
Range of Product	Instakits
Starter Type	Non reversing

Complementary

Control Circuit Voltage	220/240 V AC 50/60 Hz
Current Rating	32 A AC-3 50 A AC-1
Horsepower Rating	2 hp 120 V AC, 1 phase 5 hp 240 V AC, 1 phase 10 hp 208 V AC, 3 phase 10 hp 230 V AC, 3 phase 20 hp 460 V AC, 3 phase 25 hp 575 V AC, 3 phase
Maximum Voltage Rating	600 V AC
Auxiliary Contacts	1 NO + 1 NC
Location of connection	Line
Height	10.04 in (255 mm)
Depth	7.008 in (178 mm)
Width	6.8 in (172 mm)

Environment

Product Certifications	CSA UL IEC
Enclosure Type	NEMA 1 painted sheet steel

Ordering and shipping details

Category	22313 - CTRS,D-LINE,ENCL (METAL)
Discount Schedule	I11
GTIN	785901692904
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Life Is On | Schneider Electric

Number of Units in Package 1	1
Package 1 Height	10.04 in (25.5 cm)
Package 1 Width	6.8 in (17.2 cm)
Package 1 Length	7.008 in (17.8 cm)
Package 1 Weight	47.999 lb(US) (21.772 kg)

Contractual warranty

Warranty	18 months

Sustainability ![Green Premium](Green Premium™)

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

✓ Pvc Free

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant

EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Circularity Profile   No need of specific recycling operations

California Proposition 65   WARNING: Cancer - www.P65Warnings.ca.gov