

# Product data sheet

Specifications



Fuse disconnecter, TeSys DF, 3P,  
600V, 25A, fuse size 10x38mm,  
spring type

LS1D323

Product availability: Stock - Normally stocked in distribution facility

Price\*: 80.40 USD

## Main

Range	TeSys
Product Name	TeSys LS1
Product Or Component Type	Fuse-disconnector
Device Short Name	LS1D
Poles Description	3P

## Complementary

Mounting Support	Rail
Mounting Position	Vertical +/- 23°)
Control Type	Toggle
[Ue] Rated Operational Voltage	600 V
[Ie] Rated Operational Current	25 A power circuit
Local Signalling	Blown fuse indication
Fuse Size	10 x 38 mm
Fuse Type	GG AM
Associated Fuse Rating	30 A aM 30 A gG
Connections - Terminals	spring terminals 2 0.00...0.01 in <sup>2</sup> (1...6 mm <sup>2</sup> )solid spring terminals 2 0.00...0.01 in <sup>2</sup> (1...6 mm <sup>2</sup> )flexible without cable end spring terminals 2 0.00...0.01 in <sup>2</sup> (1...4 mm <sup>2</sup> )flexible with cable end

## Environment

Standards	IEC 60947-2 IEC 60947-4-1 IEC 60947-1
Product Certifications	UR BV
Ip Degree Of Protection	IP20
Protective Treatment	TH
Ambient Air Temperature For Operation	-58...158 °F (-50...70 °C) operation
Height	3.50 in (89 mm)
Width	1.77 in (45 mm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Depth	2.69 in (68.3 mm)
Net Weight	0.60 lb(US) (0.27 kg)

## Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
Gtin	3389110273069
Returnability	Yes
Country Of Origin	MX

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.05 in (5.2 cm)
Package 1 Width	4.33 in (11.0 cm)
Package 1 Length	3.15 in (8.0 cm)
Package 1 Weight	7.80 oz (221.0 g)

## Contractual warranty

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration	
Eu Rohs Directive	Compliant	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	