LT150M 1/3



PRODUCT-DETAILS

LT150M

1-1/2IN STR LT BULLETCONN STL W/NYL



General Information	
Extended Product Type	LT150M
Product ID	7TAD012590R0001
EAN	5414363154792
Catalog Description	1-1/2IN STR LT BULLETCONN STL W/NYL
Long Description	1-1/2 Inch Steel Liquidtight Bullet With Nylon Insert

Additional Information	
Application	T&B Bullet meets performance requirements when terminating Type B liquidtight non-metallic conduit or flexible non-metallic tubing to a box or enclosure with knockout opening or threaded hub
Product Type	Bullet-Straigh
Ordering	

UPC

786210450629

LT150M 2/3

Technical	
Number of Batteries	0
Material	Steel
Size	1-1/2 Inch

Environmental

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	2 EA
Package Level 1 Height	76.2 mm 3 in
Package Level 1 Depth / Length	152.4 mm 6 in
Package Level 1 Width	114.3 mm 4.5 in

Certificates and Declarations	
Data Sheet, Technical Information	LT150M
Instructions and Manuals	LT150M

Classifications	
ETIM 8	EC001178 - Screw connection for protective plastic hose
UNSPSC	39121420

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Liquidtight\ Fittings$

LT150M 3/3

