# Product data sheet

Specifications



## Signalling auxiliary contacts, TeSys Ultra, 1 NO and 1 NC

LUA1C11

**Product availability: Stock - Normally stocked in distribution facility**

## Price*: 34.50 USD

## Main

| | |
|---|---|
| **Range** | TeSys |
| **Device Short Name** | LUA1 |
| **Product Or Component Type** | Auxiliary contact |

## Complementary

| | |
|---|---|
| **Auxiliary Contact Composition** | 1 NO + 1 NC |
| **Signalling Function** | Fault signalling<br>Indicating rotary knob in ready position |
| **[Ue] Rated Operational Voltage** | <= 250 V AC<br><= 250 V DC |
| **[Ui] Rated Insulation Voltage** | 250 V CSA<br>250 V IEC 60947-5-1<br>250 V UL |
| **[Ith] Conventional Free Air Thermal Current** | 2.5 A |
| **Minimum Switching Voltage** | 17 V |
| **Minimum Switching Current** | 5 mA |
| **Net Weight** | 0.07 lb(US) (0.03 kg) |
| **Connections - Terminals** | screw clamp terminals |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10I1122399 |
| **Discount Schedule** | 0I11 |
| **Gtin** | 3389110367317 |
| **Returnability** | Yes |
| **Country Of Origin** | US |

## Packing Units

| | |
|---|---|
| **Unit Type Of Package 1** | PCE |
| **Number Of Units In Package 1** | 1 |
| **Package 1 Height** | 0.79 in (2.0 cm) |
| **Package 1 Width** | 2.36 in (6.0 cm) |
| **Package 1 Length** | 3.94 in (10.0 cm) |
| **Package 1 Weight** | 0.85 oz (24 g) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Life Is On | Schneider Electric

| | |
|---|---|
| **Unit Type Of Package 2** | S01 |
| **Number Of Units In Package 2** | 30 |
| **Package 2 Height** | 5.91 in (15 cm) |
| **Package 2 Width** | 5.91 in (15 cm) |
| **Package 2 Length** | 15.75 in (40 cm) |
| **Package 2 Weight** | 35.20 oz (998 g) |
| **Unit Type Of Package 3** | P06 |
| **Number Of Units In Package 3** | 960 |
| **Package 3 Height** | 29.53 in (75.0 cm) |
| **Package 3 Width** | 23.62 in (60.0 cm) |
| **Package 3 Length** | 31.50 in (80.0 cm) |
| **Package 3 Weight** | 82.54 lb(US) (37.44 kg) |

# Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

Life Is On | Schneider Electric

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

## Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information       Yes

| | |
|---|---|
| **Reach Regulation** | REACh Declaration |
| **Eu Rohs Directive** | Compliant<br>EU RoHS Declaration |
| **China Rohs Regulation** | China RoHS declaration |
| **Weee** | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |