



TeSys F - contactor coil - LX4F8 - 380...400V DC

LX4F8QW

! To be discontinued on: Dec 31, 2028

① To be discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 870.00 USD

Main

Range	TeSys	
Product or Component Type	Contactor coil	
Device short name	LX4F8	
Range compatibility	TeSys TeSys F LC1F contactor	
Product Compatibility	LC1F800	
Control circuit type	DC low consumption	
[Uc] control circuit voltage	380400 V DC	
Operating time	4050 ms opening 6080 ms closing	
Mechanical durability	5 Mcycles	
Maximum operating rate	600 cyc/h 131 °F (55 °C)	

Complementary

Coil technology	Without built-in suppressor module
Control circuit voltage limits	Operational 0.851.1 Uc 131 °F (55 °C)) Drop-out 0.30.5 Uc 131 °F (55 °C))
Inrush power in W	1900 W 68 °F (20 °C))
Hold-in power consumption in W	12 W 68 °F (20 °C)

Environment

Ambient Air Temperature for Operation	23131 °F (-555 °C)
Net Weight	3 64 lb(US) (1 65 kg)

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0112
GTIN	3389118114647
Returnability	No
Country of origin	CZ

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	3.937 in (10.000 cm)	
Package 1 Width	4.724 in (12.000 cm)	
Package 1 Length	8.858 in (22.500 cm)	
Package 1 Weight	3.038 lb(US) (1.378 kg)	
Unit Type of Package 2	S03	
Number of Units in Package 2	6	
Package 2 Height	11.811 in (30.000 cm)	
Package 2 Width	11.811 in (30.000 cm)	
Package 2 Length	15.748 in (40.000 cm)	
Package 2 Weight	19.328 lb(US) (8.767 kg)	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information